



Låg til (utan kryds) til 153397/153398/157175 30/39 cl Transparent, 1000 Stk/kart (20 x 50 Stk)

Artikelplysninger

Artikelnummer	157177	Fødevaregodkendelse	✓
Mærke	DUNI	Låg nederste stak	✓
Materialekvalitet	APET	Lækagesikkert låg	✓
Oprindelsesland	Italien		
Sæson	Året rundt		

Certificeringer

Tilbehør

	157175	Dessertskål til 153397/153398
	153397	Glas
	153398	Glas

Logistikoplysninger for 157177

Toldkode	39235090
----------	----------

Forbrugerenheder (CU)

Styk pr. CU	50
CU-bruttovægt (g)	136
CU-pakkevægt (g)	6
Længde x Bredde x Højde (mm)	90 x 90 x 208
CU-volumen (dm ³)	1

CU-stregkodenr.



Salgs-/forsendelsesenheder (SKU)

CU pr. SKU	20
SKU-bruttovægt (g)	3.130
SKU-pakkevægt (g)	410
Længde x Bredde x Højde (mm)	400 x 240 x 430
SKU-volumen (dm ³)	41

SKU-stregkodenr.



Palle

SKU pr. lag	10
SKU pr. ladning	20
Ladningsbruttovægt (kg)	84
Længde x Bredde x Højde (mm)	1.200 x 800 x 1.010
Ladningsvolumen (dm ³)	969

Dokumenter

https://mediabank.duni.com/doc/157177_DoC_en.pdf

https://mediabank.duni.com/doc/157177_PI_en.pdf

Vi står klar til at hjælpe.
Support og bestilling:
Opkald: +45 4484 8422
E-mail: info@duni.dk

DUNI
GROUP

DECLARATION OF COMPLIANCE

Description	Material	Article Number
Lids	APET	157177

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)

Overall migration (1)

According to the above-mentioned regulation EU Regulation 10/2011, the overall migration does not exceed 10 mg/dm² or 60 mg/kg.

Specific migration (2)

This article contains monomers or additives subject to restrictions under the plastic regulation 10/2011 and its amendments. A specific migration test proves that these are within the limits. If more information regarding the monomers or additives are needed please contact Duni AB.

Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the articles can be used safely with all types of foodstuffs, serving cold and hot. The articles can be used for storage and temperatures up to 2 hours at 70°C.

The lids are not suitable to use in a microwave oven.

833800 APET ENG_20230301151727.docx

Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

<i>Overall migration</i>	<i>3% Acetic acid</i>	<i>10 days at 40°C and 2 hours 70°C</i>
	<i>10 % Ethanol</i>	<i>10 days at 40°C and 2 hours 70°C</i>
	<i>50 % Ethanol</i>	<i>10 days at 40°C and 2 hours 70°C</i>
	<i>Isooctane</i>	<i>10 days at 40°C and 2 hours 70°C</i>

The ratio of food contact surface area to volume used is 6 dm²/kg

No substances of dual use are present in the product.

The product does not contain any functional barrier.

Please be advised that Duni Group does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Global migration test
- Specific migration

This document was issued electronically and is therefore valid without signature.