according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GLASS CLEANER 10 X 750 ML

Identification number : 61732

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH

Rheinallee 96 55120 Mainz : +49613196403

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

	Registration number		
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 5 - < 10
	01 2110407010 40	SCL >= 50 % 2; H319	
1-butoxypropan-2-ol	5131-66-8 225-878-4 01-2119475527-28	Eye Dam. 2; H319 Skin Irrit. 2; H315	>= 2 - < 5
		SCL > 20 % 2; H319 > 20 % 2; H315	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

> not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up and shovel.

> Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8. No special handling advice

required.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Advice on protection against fire

and explosion

: Vapours may form explosive mixtures with air.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

ethanol : End Use: Workers

64-17-5: Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 1900 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 950 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 343 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 950 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Value: 206 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 114 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 87 mg/kg

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Acute local effects

Value: 950 mg/m3

1-butoxypropan-2-ol

5131-66-8:

: End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 147 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 52 mg/kg bw/day

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 43 mg/m3

End Use: Consumers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

Value: 22 mg/kg bw/day

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Value: 12,5 mg/kg bw/day

PNEC

ethanol : Fresh water **64-17-5:** Value: 0,96 mg/l

Marine water Value: 0,79 mg/l

Fresh water sediment Value: 3,6 mg/kg

Soil



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Value: 0,63 mg/kg

STP

Value: 580 mg/l

intermittent release Value: 2,75 mg/l

1-butoxypropan-2-ol

5131-66-8:

: Fresh water

Value: 0,525 mg/l

Marine water Value: 0,0525 mg/l

Fresh water sediment Value: 2,36 mg/kg

Marine sediment Value: 0,236 mg/kg

Soil

Value: 0,16 mg/kg

STP

Value: 10 mg/l

intermittent release Value: 5,25 mg/l

8.2 Exposure controls

Personal protective equipment

<u>Eye protection</u>: not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4

mm).

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light green
Odour : alcohol-like

Odour Threshold : No data available pH : ca. 6,0, at20 °C

Melting point/range : No data available

Boiling point/boiling range : No information available.

Flash point : ca. 44,9 °C

Evaporation rate : No data available Flammability (solid, gas) : No data available

Flammability (liquids) : Does not sustain combustion.

Burning rate : No data available
Lower explosion limit : No data available
Upper explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available

Density : ca. 0,983 g/cm3 at 20 °C

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components:

ethanol 64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg

Method: OECD Test Guideline 401

LD50 Rat: 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 51 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal Rabbit: > 10.000 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

: Species: Rabbit

Result: Mild eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Mouse

Result: Does not cause skin sensitisation.

Method: see user defined free text



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Reproductive toxicity : Species: Rat

Application Route: Oral NOAEL: 5.200 mg/kg

Species: Rat

Application Route: Oral NOAEL: 13.800 mg/kg

Species: Rat

Application Route: Inhalation NOAEL: 30400 mg/m3

Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg

Method: OECD Test Guideline 403

Rat, female: NOAEL: 1.730 mg/kg

Method: OECD Test Guideline 408

1-butoxypropan-2-ol

5131-66-8:

Acute oral toxicity : LD50 Oral Rat, male and female: 3.300 mg/kg

Method: see user defined free text

LD50 Rat: > 2.000 mg/kg

Acute inhalation toxicity : LC50 Rat: 651 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg

Method: OECD Test Guideline 402

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l

Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l

Exposure time: 96 h



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 12.340 mg/l

Exposure time: 48 h

EC50: 5.012 mg/l

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900

mg/l

Exposure time: 48 h Test Type: Growth inhibition Method: No information available.

EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l

Exposure time: 168 h

EC50: 4.432 mg/l

EC10: 11,5 mg/l

EC10: 280 mg/l

Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

1-butoxypropan-2-ol | 5131-66-8:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 560 - 1.000 mg/l

Exposure time: 96 h

NOEC (Poecilia reticulata (guppy)): 180 mg/l

Exposure time: 96 h
LC50 (Fish): 1.000 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 560 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1.000 mg/l

Exposure time: 96 h

Test Type: Cell multiplication inhibition test



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

NOEC (Selenastrum capricornutum): 560 mg/l

Exposure time: 96 h

Toxicity to bacteria : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

Components:

ethanol 64-17-5:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 %

Method: OECD Test Guideline 301

1-butoxypropan-2-ol

5131-66-8:

Biodegradability : Biodegradation: 90 %

Exposure time: 28 d Method: OECD 301 E

Remarks: Readily biodegradable, according to appropriate OECD

test.

12.3 Bioaccumulative potential

Components:

ethanol 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-

octanol/water

: log Pow: -0,32

1-butoxypropan-2-ol

5131-66-8:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: 3,2

12.4 Mobility in soil

Components:

ethanol



WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

64-17-5:

Distribution among

environmental compartments

: Koc: 1Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

Waste Code European Waste Catalogue

20 01 29

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the : Not applicable

market and use of certain dangerous substances, preparations

and articles (Annex XVII)

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of

the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

: Total dust: Not applicable TA Luft List (Germany)

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable Carcinogenic substances: Not applicable

Mutagenic: Not applicable

Toxic to reproduction: Not applicable

: Directive 2010/75/EU of 24 November 2010 on industrial emissions Volatile organic compounds

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

(VOC) content (integrated pollution prevention and control)

Update: Percent volatile: 12,22 %

884.46 a/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 12,22 %

VOC content valid only for coating materials used on wood surfaces

according to Detergents

Regulation EC 648/2004

<5% Anionic surfactants

GISBAU (D) : GGL 10

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

Causes serious eye irritation. H319

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number: ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -

according to Regulation (EC) No. 1907/2006



GLASS CLEANER 10 X 750 ML

WM 1112495 Order number: 0712494

Version 8.0 Revision Date 02.07.2019 Print Date 15.11.2019

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000001177